

Double Ridged Horn Antenna Model DRH18-E



Telemeter Electronic

Electrical Specifications


Frequency Range	1 GHz – 18 GHz
VSWR (max.)	< 2.2
Impedance	50 Ω
Connector	N-female / SMA-female
Power (CW / Pulse)	100 W / 170 W

Physical Specifications

Width	243 mm (9,56 in)
Depth	200 mm (7,87 in)
Height	154 mm (6,06 in)
Weight	0,87 kg (1,92 lb)



Typical Parameters



Deutschland

Telemeter Electronic GmbH

Joseph-Gänsler-Str. 10, 86609 Donauwörth
Tel. +49 906 70693-0, Fax +49 906 70693-50
info@telemeter.de, www.telemeter.info

Schweiz

Telemeter Electronic GmbH

Romanshornstr. 117, 8280 Kreuzlingen
Tel. +41 71 6992020, Fax +41 71 6992024
info@telemeter.ch, www.telemeter.info

Tschechische Republik

Telemeter Electronic s.r.o.


České Vrbné 2364, 37011 České Budějovice
Tel. +420 38 5310637 und +420 38510143
info@telemeter.cz, www.telemeter.info

Double Ridged Horn Antenna Model DRH18-E



Telemeter Electronic

Radiation Patterns



Deutschland

Telemeter Electronic GmbH

Joseph-Gänsler-Str. 10, 86609 Donauwörth
Tel. +49 906 70693-0, Fax +49 906 70693-50
info@telemeter.de, www.telemeter.info

Schweiz

Telemeter Electronic GmbH

Romanshorerstr. 117, 8280 Kreuzlingen
Tel. +41 71 6992020, Fax +41 71 6992024
info@telemeter.ch, www.telemeter.info


Tschechische Republik

Telemeter Electronic s.r.o.

České Vrbné 2364, 37011 České Budějovice
Tel. +420 38 5310637 und +420 38510143
info@telemeter.cz, www.telemeter.info


Double Ridged Horn Antenna Model DRH18-E

Radiation Patterns




Double Ridged Horn Antenna Model DRH18-E

Radiation Patterns



Beamwidth



Schematic Drawing

